Pain 106 (2003) 515–518

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 106 (2003)

Aalto, S., see Hagelberg, N., **106** 43
Adams, A., see Harden, R.N., **106** 393
Africano, J.M., see Cepeda, M.S., **106** 439
al'Absi, M., Petersen, K.L., Blood pressure but not cortisol mediates stress effects on subsequent pain perception in healthy men and women, **106** 285
Albers, K.M., see Zwick, M., **106** 491
Albrecht, S., see Koppert, W., **106** 91
Alcala, R., see Cepeda, M.S., **106** 439
Allen, R.R., see Turk, D.C., **106** 337
Alsheimer, M., see Koppert, W., **106** 91
Ando, R., see Watanabe, C., **106** 269
Angst, M., see Koppert, W., **106** 91
Angst, M.S., Koppert, W., Pahl, I., Clark, D.J., Schmelz, M., Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal, **106** 49
Azkue, J.J., Liu, X.-G., Zimmermann, M., Sandkühler, J., Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors, **106** 373

Backström, E., see Vikman, K.S., **106** 241
Bagdy, G., see Juhasz, G., **106** 461
Barlas, P., see Chesterton, L.S., **106** 73
Baron, R., see Meier, T., **106** 151
Barrett, A.C., see Terner, J.M., **106** 381
Barry, C., see Fitzgibbon, D., **106** 309
Baxter, G.D., see Chesterton, L.S., **106** 73
Bellamy, N., see Turk, D.C., **106** 337
Biridepalli, S., see Bruehl, S., **106** 317
Bogousslavsky, J., see Meier, T., **106** 151
Boothby, J.L., see Thorn, B.E., **106** 1
Bopaiah, C.P., see Mousa, S.A., **106** 297
Brandenburg, N., see Turk, D.C., **106** 337
Brander, V., see Harden, R.N., **106** 393
Bredehorst, A., see Frerick, H., **106** 59
Bredt, D.S., see Zhang, B., **106** 187
Breese, N.M., see Sluka, K.A., **106** 229
Bruehl, S., Chung, O.Y., Burns, J.W., Biridepalli, S., The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction, **106** 317
Bruehl, S., see Burns, J.W., **106** 109
Bruehl, S., see Harden, R.N., **106** 393
Buggy, D.J., Toogood, L., Maric, S., Sharpe, P., Lambert, D.G., Rowbotham, D.J., Lack of analgesic efficacy of oral δ-9-tetrahydrocannabinol in postoperative pain, **106** 169
Burns, J.W., Kubilus, A., Bruehl, S., Emotion induction moderates effects of anger management style on acute pain sensitivity, **106** 109
Burns, J.W., see Bruehl, S., **106** 317
Bushnell, M.C., see Villemure, C., **106** 101

Cardenas, D.D., see Giardino, N.D., **106** 19
Carr, D.B., see Cepeda, M.S., **106** 439
Carr, D.B., see Turk, D.C., **106** 337
Cepeda, M.S., Africano, J.M., Polo, R., Alcala, R., Carr, D.B., Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain, **106** 439
Chesler, E.J., Ritchie, J., Kokayeff, A., Lariviere, W.R., Wilson, S.G., Mogil, J.S., Genotype-dependence of gabapentin and pregabalin sensitivity: the pharmacogenetic mediation of analgesia is specific to the type of pain being inhibited, **106** 325
Chesterton, L.S., Foster, N.E., Wright, C.C., Baxter, G.D., Barlas, P., Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects, **106** 73
Chung, O.Y., see Bruehl, S., **106** 317
Chung, O.Y., see Harden, R.N., **106** 393
Clark, D.J., see Angst, M.S., **106** 49
Clark, M.R., see Haythornthwaite, J.A., **106** 453
Clark, W.C., Kuhl, J.P., Keohan, M.L., Knotkova, H., Winer, R.T., Griswold, G.A., Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ), **106** 357
Cleeland, C., see Turk, D.C., **106** 337
Cox, B.J., see McWilliams, L.A., **106** 127
Cremeans-Smith, J.K., Stephens, M.A.P., Franks, M.M., Martire, L.M., Druley, J.A., Wojno, W.C., Spouses' and physicians' perceptions of pain severity in older women with osteoarthritis: dyadic agreement and patients' well-being, **106** 27
Crombez, G., see Viane, I., **106** 65

Davis, B.M., see Zwick, M., **106** 491
De Corte W., see Viane, I., **106** 65
Defrin, R., Ronat, A., Ravid, A., Peretz, C., Spatial summation of pressure pain: effect of body region, **106** 471
Devulder, J., see Viane, I., **106** 65
Dickenson, A.H., see Urch, C.E., **106** 347
Dionne, R., see Turk, D.C., **106** 337
Ditto, B., see Lewkowski, M.D., **106** 181
Dockter, D., see Fitzgibbon, D., **106** 309
Dolan, S., Kelly, J.G., Monteiro, A.M., Nolan, A.M., Up-regulation of metabotropic glutamate receptor subtypes 3 and 5 in spinal cord in a clinical model of persistent inflammation and hyperalgesia, **106** 501
Doleys, D.M., see Edwards, R.R., **106** 419
Donovan-Rodriguez, T., see Urch, C.E., **106** 347
Druley, J.A., see Cremeans-Smith, J.K., **106** 27
Dubner, R., see Price, D.D., **106** 215
Dukes, E.M., see Zelman, D.C., **106** 35
Dworkin, R.H., see Turk, D.C., **106** 337
Dworkin, S.F., see LeResche, L., **106** 253

Eccleston, C., see Viane, I., **106** 65
Edwards, R.R., Doleys, D.M., Lowery, D., Fillingim, R.B., Pain tolerance as a predictor of outcome following multidisciplinary treatment for chronic pain: differential effects as a function of sex, **106** 419

doi:10.1016/S0304-3959(03)00449-4

Edwards, R.R., Ness, T.J., Weigent, D.A., Fillingim, R.B., Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables, **106** 427
Ehde, D.M., see Giardino, N.D., **106** 19
Eisenberg, E., Melamed, E., Can complex regional pain syndrome be painless?, **106** 263
Ekholm, O., see Eriksen, J., **106** 221
Enns, M.W., see McWilliams, L.A., **106** 127
Eriksen, J., Jensen, M.K., Sjøgren, P., Ekholm, O., Rasmussen, N.K., Epidemiology of chronic non-malignant pain in Denmark, **106** 221
Eskola, O., see Hagelberg, N., **106** 43

Fairbanks, C.A., see Zwick, M., **106** 491
Fang, L., see Zhang, X., **106** 443
Farooq, N., see Sarlani, E., **106** 9
Farrar, J.T., see Turk, D.C., **106** 337
Faust, M., see Meier, T., **106** 151
Fillingim, R.B., see Edwards, R.R., **106** 419
Fillingim, R.B., see Edwards, R.R., **106** 427
Fitzgibbon, D., Morgan, D., Dockter, D., Barry, C., Kharasch, E.D., Initial pharmacokinetic, safety and efficacy evaluation of nasal morphine gluconate for breakthrough pain in cancer patients, **106** 309
Forssell, H., see Hagelberg, N., **106** 43
Foster, N.E., see Chesterton, L.S., **106** 73
Franks, M.M., see Cremeans-Smith, J.K., **106** 27
Frerick, H., Keitel, W., Kuhn, U., Schmidt, S., Bredehorst, A., Kuhlmann, M., Topical treatment of chronic low back pain with a capsicum plaster, **106** 59

Galer, B.S., see Turk, D.C., **106** 337
Gandara, B., see LeResche, L., **106** 253
Gear, R.W., see Tambeli, C.H., **106** 173
Gereau IV, R.W., see Yang, D., **106** 411
Giardino, N.D., Jensen, M.P., Turner, J.A., Ehde, D.M., Cardenas, D.D., Social environment moderates the association between catastrophizing and pain among persons with a spinal cord injury, **106** 19
Greenspan, J.D., see Price, D.D., **106** 215
Greenspan, J.D., see Sarlani, E., **106** 9
Griswold, G.A., see Clark, W.C., **106** 357
Gu, X.-L., see Sun, Y.-G., **106** 143

Hagelberg, N., Forssell, H., Aalto, S., Rinne, J.O., Scheinin, H., Taiminen, T., Någren, K., Eskola, O., Jääskeläinen, S.K., Altered dopamine D2 receptor binding in atypical facial pain, **106** 43
Harden, R.N., Bruehl, S., Stanos, S., Brander, V., Chung, O.Y., Saltz, S., Adams, A., Stulberg, S.D., Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study, **106** 393
Haykowsky, M., see Rashiq, S., **106** 119
Haythornthwaite, J.A., Clark, M.R., Pappagallo, M., Raja, S.N., Pain coping strategies play a role in the persistence of pain in post-herpetic neuralgia, **106** 453
Hewitt, D.J., see Turk, D.C., **106** 337
Hill, R.H., see Vikman, K.S., **106** 241
Hoffman, D.L., see Zelman, D.C., **106** 35
Hopwood, V., see White, P., **106** 401
Hueppe, M., see Meier, T., **106** 151

Ikeda, H., Kusudo, K., Ryu, P.-D., Murase, K., Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106** 197

Jääskeläinen, S.K., see Hagelberg, N., **106** 43
Jadad, A.R., see Turk, D.C., **106** 337
Jakab, B., see Juhasz, G., **106** 461
Jamieson, K., see Rashiq, S., **106** 119
Janni, G., see Jasmin, L.,**106** 3
Jasmin, L., Tien, D., Janni, G., Ohara, P.T., Is noradrenaline a significant factor in the analgesic effect of antidepressants?, **106** 3
Jensen, M.K., see Eriksen, J., **106** 221
Jensen, M.P., see Giardino, N.D., **106** 19
Johns, R.A., see Zhang, B., **106** 187
Jones, T.L., Sweitzer, S.M., Wilson, S.P., Yeomans, D.C., Afferent fiber-selective shift in opiate potency following targeted opioid receptor knockdown, **106** 365
Juhasz, G., Zsombok, T., Modos, E.A., Olajos, S., Jakab, B., Nemeth, J., Szolcsanyi, J., Vitrai, J., Bagdy, G., NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release, **106** 461
Jull, G., see Sterling, M., **106** 481

Katz, N.P., see Turk, D.C., **106** 337
Keitel, W., see Frerick, H., **106** 59
Kelly, J.G., see Dolan, S., **106** 501
Kenardy, J., see Sterling, M., **106** 481
Keohan, M.L., see Clark, W.C., **106** 357
Kharasch, E.D., see Fitzgibbon, D., **106** 309
Knotkova, H., see Clark, W.C., **106** 357
Kokayeff, A., see Chesler, E.J., **106** 325
Koller, M., see Rashiq, S., **106** 119
Koppert, W., Angst, M., Alsheimer, M., Sittl, R., Albrecht, S., Schüttler, J., Schmelz, M., Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans, **106** 91
Koppert, W., see Angst, M.S., **106** 49
Kramer, L.D., see Turk, D.C., **106** 337
Kristensson, K., see Vikman, K.S., **106** 241
Kubilus, A., see Burns, J.W., **106** 109
Kuhl, J.P., see Clark, W.C., **106** 357
Kuhlmann, M., see Frerick, H., **106** 59
Kuhn, U., see Frerick, H., **106** 59
Kuntzer, T., see Meier, T., **106** 151
Kusudo, K., see Ikeda, H., **106** 197

Lambert, D.G., see Buggy, D.J., **106** 169
Lariviere, W.R., see Chesler, E.J., **106** 325
LeResche, L., Mancl, L., Sherman, J.J., Gandara, B., Dworkin, S.F., Changes in temporomandibular pain and other symptoms across the menstrual cycle, **106** 253
Levine, J.D., see Tambeli, C.H., **106** 173
Lewith, G., see White, P., **106** 401
Lewkowski, M.D., Ditto, B., Roussos, M., Young, S.N., Sweet taste and blood pressure-related analgesia, **106** 181
Li, Y.-Q., see Wang, W., **106** 135
Liaw, W.-J., see Zhang, B., **106** 187
Lindsay, J., see Zwick, M., **106** 491
Lipton, R.B., see Scher, A.I., **106** 81
Liu, X.-G., see Azkue, J.J., **106** 373
Liu, X.-Y., see Wang, W., **106** 135
Lomas, L.M., see Terner, J.M., **106** 381
Lowery, D., see Edwards, R.R., **106** 419
Lundeberg, T., see Sun, Y.-G., **106** 143

Mancl, L., see LeResche, L., **106** 253
Manning, D.C., see Turk, D.C., **106** 337
Maric, S., see Buggy, D.J., **106** 169
Martire, L.M., see Cremeans-Smith, J.K., **106** 27
McCormick, C.G., see Turk, D.C., **106** 337
McDermott, M.P., see Turk, D.C., **106** 337
McGrath, P., see Turk, D.C., **106** 337
McQuay, H., Numbers need to care, **106** 213

McWilliams, L.A., Cox, B.J., Enns, M.W., Mood and anxiety disorders associated with chronic pain: an examination in a nationally representative sample, **106** 127
Meier, T., Wasner, G., Faust, M., Kuntzer, T., Ochsner, F., Hueppe, M., Bogousslavsky, J., Baron, R., Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double-blind, placebo-controlled study, **106** 151
Melamed, E., see Eisenberg, E., **106** 263
Modos, E.A., see Juhasz, G., **106** 461
Mogil, J.S., see Chesler, E.J., **106** 325
Molliver, D.C., see Zwick, M., **106** 491
Monteiro, A.M., see Dolan, S., **106** 501
Morgan, D., see Fitzgibbon, D., **106** 309
Mousa, S.A., Bopaiah, C.P., Stein, C., Schäfer, M., Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain, **106** 297
Murase, K., see Ikeda, H., **106** 197

Någren, K., see Hagelberg, **106** 43
Nemeth, J., see Juhasz, G., **106** 461
Ness, T.J., see Edwards, R.R., **106** 427
Nolan, A.M., see Dolan, S., **106** 501

Ochsner, F., see Meier, T., **106** 151
Ohara, P.T., see Jasmin, **106** 3
Okuda, K., see Watanabe, C., **106** 269
Olajos, S., see Juhasz, G., **106** 461

Pahl, I., see Angst, M.S., **106** 49
Pappagallo, M., see Haythornthwaite, J.A., **106** 453
Peretz, C., see Defrin, R., **106** 471
Petersen, K.L., see al'Absi, M., **106** 285
Picker, M.J., see Terner, J.M., **106** 381
Polo, R., see Cepeda, M.S., **106** 439
Poppe, C., see Viane, I., **106** 65
Prescott, P., see White, P., **106** 401
Price, D.D., Greenspan, J.D., Dubner, R., Neurons involved in the exteroceptive function of pain, **106** 215
Price, M.P., see Sluka, K.A., **106** 229

Quessy, S., see Turk, D.C., **106** 337

Radhakrishnan, R., see Skyba, D.A., **106** 159
Raja, S.N., see Haythornthwaite, J.A., **106** 453
Rappaport, B.A., see Turk, D.C., **106** 337
Rashiq, S., Koller, M., Haykowsky, M., Jamieson, K., The effect of opioid analgesia on exercise test performance in chronic low back pain, **106** 119
Rasmussen, N.K., see Eriksen, J., **106** 221
Ravid, A., see Defrin, R., **106** 471
Ricci, J.A., see Scher, A.I., **106** 81
Rinne, J.O., see Hagelberg, N., **106** 43
Ritchie, J., see Chesler, E.J., **106** 325
Robertson, B., see Vikman, K.S., **106** 241
Robinson, J.P., see Turk, D.C., **106** 337
Rohlwing, J.J., see Skyba, D.A., **106** 159
Ronat, A., see Defrin, R., **106** 471
Roussos, M., see Lewkowski, M.D., **106** 181
Rowbotham, D.J., see Buggy, D.J., **106** 169
Royal, M.A., see Turk, D.C., **106** 337
Ryu, P.-D., see Ikeda, H., **106** 197

Sakurada, C., see Watanabe, C., **106** 269
Sakurada, S., see Watanabe, C., **106** 269
Sakurada, T., see Watanabe, C., **106** 269
Saltz, S., see Harden, R.N., **106** 393
Sandkühler, J., see Azkue, J.J., **106** 373
Sarlani, E., Farooq, N., Greenspan, J.D., Gender and laterality differences in thermosensation throughout the perceptible range, **106** 9
Schäfer, M., see Mousa, S.A., **106** 297
Schüttler, J., see Koppert, W., **106** 91
Scheinin, H., see Hagelberg, N., **106** 43
Scher, A.I., Stewart, W.F., Ricci, J.A., Lipton, R.B., Factors associated with the onset and remission of chronic daily headache in a population-based study, **106** 81
Schmelz, M., see Angst, M.S., **106** 49
Schmelz, M., see Koppert, W., **106** 91
Schmidt, S., see Frerick, H., **106** 59
Seifeldin, R., see Zelman, D.C., **106** 35
Sengoku, T., see Zwick, M., **106** 491
Sharpe, P., see Buggy, D.J., **106** 169
Sherman, J.J., see LeResche, L., **106** 253
Simon, L., see Turk, D.C., **106** 337
Sittl, R., see Koppert, W., **106** 91
Sjøgren, P., see Eriksen, J., **106** 221
Skyba, D.A., Radhakrishnan, R., Rohlwing, J.J., Wright, A., Sluka, K.A., Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord, **106** 159
Slotnick, B.M., see Villemure, C., **106** 101
Sluka, K.A., Price, M.P., Breese, N.M., Stucky, C.L., Wemmie, J.A., Welsh, M.J., Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1, **106** 229
Sluka, K.A., see Skyba, D.A., **106** 159
Smith, E.S., see Terner, J.M., **106** 381
Stanos, S., see Harden, R.N., **106** 393
Stauffer, J.W., see Turk, D.C., **106** 337
Stein, C., see Mousa, S.A., **106** 297
Stein, W., see Turk, D.C., **106** 337
Stephens, M.A.P., see Cremeans-Smith, J.K., **106** 27
Sterling, M., Kenardy, J., Jull, G., Vicenzino, B., The development of psychological changes following whiplash injury, **106** 481
Stewart, W.F., see Scher, **106** 81
Stucky, C.L., see Sluka, K.A., **106** 229
Stulberg, S.D., see Harden, R.N., **106** 393
Sullivan, M.J.L., see Thorn, B.E., **106** 1
Sun, Y.-G., Gu, X.-L., Lundeberg, T., Yu, L.-C., An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation, **106** 143
Sweitzer, S.M., see Jones, T.L., **106** 365
Szolcsanyi, J., see Juhasz, G., **106** 461

Taiminen, T., see Hagelberg, N., **106** 43
Tambeli, C.H., Young, A., Levine, J.D., Gear, R.W., Contribution of spinal glutamatergic mechanisms in heterosegmental antinociception induced by noxious stimulation, **106** 173
Tao, F., see Zhang, B., **106** 187
Tao, Y.-X., see Zhang, B., **106** 187
Terner, J.M., Lomas, L.M., Smith, E.S., Barrett, A.C., Picker, M.J., Pharmacogenetic analysis of sex differences in opioid antinociception in rats, **106** 381
Thorn, B.E., Ward, L.C., Sullivan, M.J.L., Boothby, J.L., Communal coping model of catastrophizing: conceptual model building, **106** 1
Tien, D., see Jasmin, L.,**106** 3
Tollett, J., see Turk, D.C., **106** 337
Toogood, L., see Buggy, D.J., **106** 169
Turk, D.C., Dworkin, R.H., Allen, R.R., Bellamy, N., Brandenburg, N., Carr, D.B., Cleeland, C., Dionne, R., Farrar, J.T., Galer, B.S., Hewitt, D.J., Jadad, A.R., Katz, N.P., Kramer, L.D., Manning, D.C., McCormick, C.G., McDermott, M.P., McGrath, P., Quessy, S., Rappaport, B.A., Robinson, J.P., Royal, M.A., Simon, L., Stauffer, J.W., Stein, W., Tollett, J., Witter, J., Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106** 337
Turner, J.A., see Giardino, N.D., **106** 19

Urch, C.E., Donovan-Rodriguez, T., Dickenson, A.H., Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain, **106** 347
Van Houdenhove, B., see Viane, I., **106** 65
Viane, I., Crombez, G., Eccleston, C., Poppe, C., Devulder, J., Van Houdenhove, B., De Corte, W., Acceptance of pain is an independent predictor of mental well-being in patients with chronic pain: empirical evidence and reappraisal, **106** 65
Vicenzino, B., see Sterling, M., **106** 481
Vikman, K.S., Hill, R.H., Backström, E., Robertson, B., Kristensson, K., Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro, **106** 241
Villemure, C., Slotnick, B.M., Bushnell, M.C., Effects of odors on pain perception: deciphering the roles of emotion and attention, **106** 101
Vitrai, J., see Juhasz, G., **106** 461

Wang, W., Wu, S.-X., Wang, Y.-Y., Liu, X.-Y., Li, Y.-Q., 5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain, **106** 135
Wang, Y.-Y., see Wang, W., **106** 135
Ward, L.C., see Thorn, B.E., **106** 1
Wasner, G., see Meier, T., **106** 151
Watanabe, C., Sakurada, T., Okuda, K., Sakurada, C., Ando, R., Sakurada, S., The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats, **106** 269
Weigent, D.A., see Edwards, R.R., **106** 427
Welsh, M.J., see Sluka, K.A., **106** 229
Wemmie, J.A., see Sluka, K.A., **106** 229
White, P., Lewith, G., Hopwood, V., Prescott, P., The placebo needle, is it a valid and convincing placebo for use in acupuncture trials? A randomised, single-blind, cross-over pilot trial, **106** 401
Willis, W.D., see Zhang, X., **106** 443
Wilson, S.G., see Chesler, E.J., **106** 325
Wilson, S.P., see Jones, T.L., **106** 365
Winer, R.T., see Clark, W.C., **106** 357
Witter, J., see Turk, D.C., **106** 337
Wojno, W.C., see Cremeans-Smith, J.K., **106** 27
Wright, A., see Skyba, D.A., **106** 159
Wright, C.C., see Chesterton, L.S., **106** 73
Wu, J., see Zhang, X., **106** 443
Wu, S.-X., see Wang, W., **106** 135

Yang, D., Gereau, R.W., Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation, **106** 411
Yeomans, D.C., see Jones, T.L., **106** 365
Young, A., see Tambeli, C.H., **106** 173
Young, S.N., see Lewkowski, M.D., **106** 181
Yu, L.-C., see Sun, Y.-G., **106** 143

Zelman, D.C., Hoffman, D.L., Seifeldin, R., Dukes, E.M., Development of a metric for a day of manageable pain control: derivation of pain severity cut-points for low back pain and osteoarthritis, **106** 35
Zhang, B., Tao, F., Liaw, W.-J., Bredt, D.S., Johns, R.A., Tao, Y.-X., Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury, **106** 187
Zhang, X., Wu, J., Fang, L., Willis, W.D., The effects of protein phosphatase inhibitors on nociceptive behavioral responses of rats following intradermal injection of capsaicin, **106** 443
Zimmermann, M., see Azkue, J.J., **106** 373
Zsombok, T., see Juhasz, G., **106** 461
Zwick, M., Molliver, D.C., Lindsay, J., Fairbanks, C.A., Sengoku, T., Albers, K.M., Davis, B.M., Transgenic mice possessing increased numbers of nociceptors do not exhibit increased behavioral sensitivity in models of inflammatory and neuropathic pain, **106** 491

Pain 106 (2003) 519–525

PAIN

www.elsevier.com/locate/pain

Subject index Volume 106 (2003)

Acceptance
Acceptance of pain is an independent predictor of mental well-being in patients with chronic pain: empirical evidence and reappraisal, **106**, 65
Acupuncture
The placebo needle, is it a valid and convincing placebo for use in acupuncture trials A randomised, single-blind, cross-over pilot trial, **106**, 401
Acute pain
Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain, **106**, 439
Acute pain
Emotion induction moderates effects of anger management style on acute pain sensitivity, **106**, 109
Acute pain
The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction, **106**, 317
Adrenoreceptors
Is noradrenaline a significant factor in the analgesic effect of antidepressants, **106**, 3
Adverse events
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Affective dimension
Gender and laterality differences in thermosensation throughout the perceptible range, **106**, 9
Aging
Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables, **106**, 427
Allodynia
Can complex regional pain syndrome be painless, **106**, 263
AMPA receptor
Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro, **106**, 241
Analgesia
Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain, **106**, 439
Analgesia
Initial pharmacokinetic, safety and efficacy evaluation of nasal morphine gluconate for breakthrough pain in cancer patients, **106**, 309
Analgesia
Is noradrenaline a significant factor in the analgesic effect of antidepressants, **106**, 3
Analgesia
Sweet taste and blood pressure-related analgesia, **106**, 181
Anger expression
The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction, **106**, 317
Anger management style
Emotion induction moderates effects of anger management style on acute pain sensitivity, **106**, 109
Anger regulation
The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction, **106**, 317
Anger-out
The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction, **106**, 317
Antinociception
An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation, **106**, 143
Antinociception
Genotype-dependence of gabapentin and pregabalin sensitivity: the pharmacogenetic mediation of analgesia is specific to the type of pain being inhibited, **106**, 325
Antinociception
Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain, **106**, 297
Antinociception
Pharmacogenetic analysis of sex differences in opioid antinociception in rats, **106**, 381
Antisense oligodeoxynucleotide
5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain, **106**, 135
Anxiety
Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study, **106**, 393
Anxiety disorders
Mood and anxiety disorders associated with chronic pain: an examination in a nationally representative sample, **106**, 127
Arcuate nucleus
An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation, **106**, 143
Assessment
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Attention
Effects of odors on pain perception: deciphering the roles of emotion and attention, **106**, 101
Atypical facial pain
Altered dopamine D2 receptor binding in atypical facial pain, **106**, 43
Bee venom
5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain, **106**, 135
Blood pressure
Blood pressure but not cortisol mediates stress effects on subsequent pain perception in healthy men and women, **106**, 285
Blood pressure
Sweet taste and blood pressure-related analgesia, **106**, 181
Body region
Spatial summation of pressure pain: effect of body region, **106**, 471
Bone cancer

doi:10.1016/S0304-3959(03)00450-0

Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain, **106**, 347
Breakthrough pain
Initial pharmacokinetic, safety and efficacy evaluation of nasal morphine gluconate for breakthrough pain in cancer patients, **106**, 309
C-fibers
Afferent fiber-selective shift in opiate potency following targeted opioid receptor knockdown, **106**, 365
Calcitonin gene-related peptide
NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release, **106**, 461
Cancer pain
Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain, **106**, 439
Cancer pain
Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain, **106**, 347
Cancer pain
Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ), **106**, 357
Cannabinoids
Lack of analgesic efficacy of oral δ-9-tetrahydrocannabinol in post-operative pain, **106**, 169
Capsaicin
Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord, **106**, 159
Capsaicin
Topical treatment of chronic low back pain with a capsicum plaster, **106**, 59
Capsicum plaster
Topical treatment of chronic low back pain with a capsicum plaster, **106**, 59
Caregiver
Spouses' and physicians' perceptions of pain severity in older women with osteoarthritis: dyadic agreement and patients' well-being, **106**, 27
Carrageenan
Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation, **106**, 411
Catastrophizing
Social environment moderates the association between catastrophizing and pain among persons with a spinal cord injury, **106**, 19
Catostrophizing
Pain coping strategies play a role in the persistence of pain in post-herpetic neuralgia, **106**, 453
Central sensitization
Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans, **106**, 91
Chronic daily headache
Factors associated with the onset and remission of chronic daily headache in a population-based study, **106**, 81
Chronic low back pain
The effect of opioid analgesia on exercise test performance in chronic low back pain, **106**, 119
Chronic pain
Acceptance of pain is an independent predictor of mental well-being in patients with chronic pain: empirical evidence and reappraisal, **106**, 65
Chronic pain
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Chronic pain
Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury, **106**, 187
Chronic pain
Mood and anxiety disorders associated with chronic pain: an examination in a nationally representative sample, **106**, 127
Chronic pain
Pain coping strategies play a role in the persistence of pain in post-herpetic neuralgia, **106**, 453
Chronic pain
Spouses' and physicians' perceptions of pain severity in older women with osteoarthritis: dyadic agreement and patients' well-being, **106**, 27
Chronic pain
The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction, **106**, 317
Clinical study
Topical treatment of chronic low back pain with a capsicum plaster, **106**, 59
Clinical trials
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Cluster analysis
Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ), **106**, 357
Cognitive Control
Acceptance of pain is an independent predictor of mental well-being in patients with chronic pain: empirical evidence and reappraisal, **106**, 65
Complete Freund's adjuvant
Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury, **106**, 187
Complex regional pain syndrome
Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study, **106**, 393
Concordance correlation coefficient
Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain, **106**, 439
Coping
Pain coping strategies play a role in the persistence of pain in post-herpetic neuralgia, **106**, 453
Corticotropin-releasing factor
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Corticotropin-releasing hormone
Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain, **106**, 297
Cortisol
Blood pressure but not cortisol mediates stress effects on subsequent pain perception in healthy men and women, **106**, 285
CRH receptor antagonist
Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain, **106**, 297
Cytokines
Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro, **106**, 241
Deep
Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1, **106**, 229
Depression
Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study, **106**, 393

Diffuse noxious inhibitory control
Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables, **106**, 427
Disinhibition
Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro, **106**, 241
Dopamine receptor
Altered dopamine D2 receptor binding in atypical facial pain, **106**, 43
Dorsal horn
Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain, **106**, 347
Dorsal horn
Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1, **106**, 229
double blind
Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double blind, placebo-controlled study, **106**, 151
Dyadic agreement
Spouses' and physicians' perceptions of pain severity in older women with osteoarthritis: dyadic agreement and patients' well-being, **106**, 27
Elderly
Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables, **106**, 427
Electrophysiology
Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors, **106**, 373
Electrostimulation
Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects, **106**, 73
Emotion
Effects of odors on pain perception: deciphering the roles of emotion and attention, **106**, 101
Emotion induction
Emotion induction moderates effects of anger management style on acute pain sensitivity, **106**, 109
Emotional functioning
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Endogenous opioids
Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans, **106**, 91
Endogenous opioids
The association between anger expression and chronic pain intensity: evidence for partial mediation by endogenous opioid dysfunction, **106**, 317
β-Endorphin
Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain, **106**, 297
Epidemiology
Factors associated with the onset and remission of chronic daily headache in a population-based study, **106**, 81
Estrogen
Changes in temporomandibular pain and other symptoms across the menstrual cycle, **106**, 253
Excitatory amino acids
Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors, **106**, 373
Excitatory behavioural response (vocalization and agitation)
The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats, **106**, 269
Exercise
The effect of opioid analgesia on exercise test performance in chronic low back pain, **106**, 119
Experimental pain
Effects of odors on pain perception: deciphering the roles of emotion and attention, **106**, 101
Experimental pain
Emotion induction moderates effects of anger management style on acute pain sensitivity, **106**, 109
Expression
Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury, **106**, 187
Exteroreception
Neurons involved in the exteroceptive function of pain, **106**, 215
Factor analysis
Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ), **106**, 357
$GABA_A$ receptor
Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro, **106**, 241
Galanin
An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation, **106**, 143
Galanin receptors
An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation, **106**, 143
Gender difference
Gender and laterality differences in thermosensation throughout the perceptible range, **106**, 9
Global ratings
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Glutamate
Contribution of spinal glutamatergic mechanisms in heterosegmental antinociception induced by noxious stimulation, **106**, 173
Glutamate
The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats, **106**, 269
Glutamate receptors
Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors, **106**, 373
Headache
Changes in temporomandibular pain and other symptoms across the menstrual cycle, **106**, 253
Headache
NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release, **106**, 461
Healthy human
Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects, **106**, 73
Heat
Effects of odors on pain perception: deciphering the roles of emotion and attention, **106**, 101
Hemodynamics
Blood pressure but not cortisol mediates stress effects on subsequent pain perception in healthy men and women, **106**, 285
Herpes simplex virus
Afferent fiber-selective shift in opiate potency following targeted opioid receptor knockdown, **106**, 365
Herpes zoster
Pain coping strategies play a role in the persistence of pain in post-herpetic neuralgia, **106**, 453

High-dose morphine
The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats, **106**, 269
Human
Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans, **106**, 91
Human
Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal, **106**, 49
5-Hydroxytryptamine$_{1A}$ receptor
5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain, **106**, 135
Hyperalgesia
5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain, **106**, 135
Hyperalgesia
Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain, **106**, 347
Hyperalgesia
An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation, **106**, 143
Hyperalgesia
Genotype-dependence of gabapentin and pregabalin sensitivity: the pharmacogenetic mediation of analgesia is specific to the type of pain being inhibited, **106**, 325
Hyperalgesia
Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans, **106**, 91
Hyperalgesia
Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal, **106**, 49
Hyperalgesia
Up-regulation of metabotropic glutamate receptor subtypes 3 and 5 in spinal cord in a clinical model of persistent inflammation and hyperalgesia, **106**, 501
Immunohistochemistry
Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain, **106**, 297
Inbred strain
Genotype-dependence of gabapentin and pregabalin sensitivity: the pharmacogenetic mediation of analgesia is specific to the type of pain being inhibited, **106**, 325
Incidence
Factors associated with the onset and remission of chronic daily headache in a population-based study, **106**, 81
Inflammation
An antinociceptive role of galanin in the arcuate nucleus of hypothalamus in intact rats and rats with inflammation, **106**, 143
Inflammation
Involvement of corticotropin-releasing hormone receptor subtypes 1 and 2 in peripheral opioid-mediated inhibition of inflammatory pain, **106**, 297
Inflammation
Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation, **106**, 411
Inflammation
Up-regulation of metabotropic glutamate receptor subtypes 3 and 5 in spinal cord in a clinical model of persistent inflammation and hyperalgesia, **106**, 501
Inflammatory and neuropathic pain
Transgenic mice possessing increased numbers of nociceptors do not exhibit increased behavioral sensitivity in models of inflammatory and neuropathic pain, **106**, 491
Interoreception
Neurons involved in the exteroceptive function of pain, **106**, 215
Intrathecal injection
The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats, **106**, 269
Ischemic tolerance
Pain tolerance as a predictor of outcome following multidisciplinary treatment for chronic pain: differential effects as a function of sex, **106**, 419
Joint manipulation
Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord, **106**, 159
Lamina I
Alterations in dorsal horn neurones in a rat model of cancer-induced bone pain, **106**, 347
Laterality difference
Gender and laterality differences in thermosensation throughout the perceptible range, **106**, 9
Lidocaine
Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double-blind, placebo-controlled study, **106**, 151
Limits of agreement
Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain, **106**, 439
Long-term depression
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Long-term potentiation
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Low back pain
Topical treatment of chronic low back pain with a capsicum plaster, **106**, 59
McGill Pain Questionnaire
Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ), **106**, 357
Mechanical
Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1, **106**, 229
Mechanical
Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation, **106**, 411
Mechanical pain
Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects, **106**, 73
Mechanical stimulation
Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal, **106**, 49
Menstrual cycle
Changes in temporomandibular pain and other symptoms across the menstrual cycle, **106**, 253
Metabotropic glutamate receptors
Up-regulation of metabotropic glutamate receptor subtypes 3 and 5 in spinal cord in a clinical model of persistent inflammation and hyperalgesia, **106**, 501
mGluR
Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation, **106**, 411
Migraine
NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release, **106**, 461
Mood disorders
Mood and anxiety disorders associated with chronic pain: an examination in a nationally representative sample, **106**, 127

Morphine
Initial pharmacokinetic, safety and efficacy evaluation of nasal morphine gluconate for breakthrough pain in cancer patients, **106**, 309
Multidimensional Affect and Pain Survey
Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ), **106**, 357
Multidisciplinary pain management
Pain tolerance as a predictor of outcome following multidisciplinary treatment for chronic pain: differential effects as a function of sex, **106**, 419
Muscular function
The effect of opioid analgesia on exercise test performance in chronic low back pain, **106**, 119
Nasal mucosa
Initial pharmacokinetic, safety and efficacy evaluation of nasal morphine gluconate for breakthrough pain in cancer patients, **106**, 309
Nationally representative sample
Mood and anxiety disorders associated with chronic pain: an examination in a nationally representative sample, **106**, 127
Nerve growth factor
Transgenic mice possessing increased numbers of nociceptors do not exhibit increased behavioral sensitivity in models of inflammatory and neuropathic pain, **106**, 491
Nerve injury
Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury, **106**, 187
Neuropathic pain
Can complex regional pain syndrome be painless, **106**, 263
Neuropathic pain
Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double-blind, placebo-controlled study, **106**, 151
Nitric oxide
NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release, **106**, 461
Nitric oxide
The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats, **106**, 269
Nitroglycerin
NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release, **106**, 461
NMDA and $mGluR_5$ receptors
Contribution of spinal glutamatergic mechanisms in heterosegmental antinociception induced by noxious stimulation, **106**, 173
NMDA receptors
The effects of protein phosphatase inhibitors on nociceptive behavioral responses of rats following intradermal injection of capsaicin, **106**, 443
N-Methyl-D-aspartate antagonist
Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal, **106**, 49
Nociception
Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors, **106**, 373
Nociception
Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation, **106**, 411
Nociceptive-specific neurons
Neurons involved in the exteroceptive function of pain, **106**, 215
Nociceptors
Transgenic mice possessing increased numbers of nociceptors do not exhibit increased behavioral sensitivity in models of inflammatory and neuropathic pain, **106**, 491
Noradrenaline
Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord, **106**, 159
Noradrenaline reuptake
Is noradrenaline a significant factor in the analgesic effect of antidepressants, **106**, 3
Norepinephrine
Is noradrenaline a significant factor in the analgesic effect of antidepressants, **106**, 3
Noxious
Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables, **106**, 427
Noxious stimulus-induced antinociception
Contribution of spinal glutamatergic mechanisms in heterosegmental antinociception induced by noxious stimulation, **106**, 173
Odors
Effects of odors on pain perception: deciphering the roles of emotion and attention, **106**, 101
Opioid
Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal, **106**, 49
Opioid analgesia
The effect of opioid analgesia on exercise test performance in chronic low back pain, **106**, 119
Opioid receptor
Afferent fiber-selective shift in opiate potency following targeted opioid receptor knockdown, **106**, 365
Opioid-receptor
Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans, **106**, 91
Opioids
Pharmacogenetic analysis of sex differences in opioid antinociception in rats, **106**, 381
Optical imaging
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Outcome prediction
Pain tolerance as a predictor of outcome following multidisciplinary treatment for chronic pain: differential effects as a function of sex, **106**, 419
Outcomes
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Pain
Blood pressure but not cortisol mediates stress effects on subsequent pain perception in healthy men and women, **106**, 285
Pain
Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1, **106**, 229
Pain
Development of a metric for a day of manageable pain control: derivation of pain severity cut-points for low back pain and osteoarthritis, **106**, 35
Pain
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Pain
Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables, **106**, 427
Pain
Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro, **106**, 241
Pain
Is noradrenaline a significant factor in the analgesic effect of antidepressants, **106**, 3

Pain
Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord, **106**, 159
Pain
Lack of analgesic efficacy of oral δ-9-tetrahydrocannabinol in postoperative pain, **106**, 169
Pain
Neurons involved in the exteroceptive function of pain, **106**, 215
Pain
Social environment moderates the association between catastrophizing and pain among persons with a spinal cord injury, **106**, 19
Pain epidemiology
Epidemiology of chronic non-malignant pain in Denmark, **106**, 221
Pain evaluation
Agreement between percentage pain reductions calculated from numeric rating scores of pain intensity and those reported by patients with acute or cancer pain, **106**, 439
Pain modulation
Effects of odors on pain perception: deciphering the roles of emotion and attention, **106**, 101
Pain modulation
Individual differences in diffuse noxious inhibitory controls (DNIC): association with clinical variables, **106**, 427
Pain Questionnaire
Factor analysis validates the cluster structure of the dendrogram underlying the Multidimensional Affect and Pain Survey (MAPS) and challenges the a priori classification of the descriptors in the McGill Pain Questionnaire (MPQ), **106**, 357
Pain sensation
Naloxone provokes similar pain facilitation as observed after short-term infusion of remifentanil in humans, **106**, 91
Parameters
Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects, **106**, 73
Patient well-being
Spouses' and physicians' perceptions of pain severity in older women with osteoarthritis: dyadic agreement and patients' well-being, **106**, 27
Peripheral tissue inflammation
The effects of protein phosphatase inhibitors on nociceptive behavioral responses of rats following intradermal injection of capsaicin, **106**, 443
PGE2
Peripheral group II metabotropic glutamate receptors mediate endogenous anti-allodynia in inflammation, **106**, 411
Pharmacokinetics
Initial pharmacokinetic, safety and efficacy evaluation of nasal morphine gluconate for breakthrough pain in cancer patients, **106**, 309
Physical functioning
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Placebo
The placebo needle, is it a valid and convincing placebo for use in acupuncture trials A randomised, single-blind, cross-over pilot trial, **106**, 401
placebo-controlled trial
Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double-blind, placebo-controlled study, **106**, 151
Placebo needle
The placebo needle, is it a valid and convincing placebo for use in acupuncture trials A randomised, single-blind, cross-over pilot trial, **106**, 401
Plasticity
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Platelet serotonin
NO-induced migraine attack: strong increase in plasma calcitonin gene-related peptide (CGRP) concentration and negative correlation with platelet serotonin release, **106**, 461
Positron emission tomography
Altered dopamine D2 receptor binding in atypical facial pain, **106**, 43
Post-herpetic neuralgia
Pain coping strategies play a role in the persistence of pain in post-herpetic neuralgia, **106**, 453
Post-traumatic stress
The development of psychological changes following whiplash injury, **106**, 481
Postoperative
Lack of analgesic efficacy of oral δ-9-tetrahydrocannabinol in post-operative pain, **106**, 169
Pressure pain
Spatial summation of pressure pain: effect of body region, **106**, 471
Prevalence
Epidemiology of chronic non-malignant pain in Denmark, **106**, 221
Prognosis
Factors associated with the onset and remission of chronic daily headache in a population-based study, **106**, 81
Prospective
Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study, **106**, 393
Protein phosphatase inhibitors
The effects of protein phosphatase inhibitors on nociceptive behavioral responses of rats following intradermal injection of capsaicin, **106**, 443
Protons
Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1, **106**, 229
PSD-93/chapsin-110
Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury, **106**, 187
Psychological distress
The development of psychological changes following whiplash injury, **106**, 481
Quality of life
Core outcome domains for chronic pain clinical trials: IMMPACT recommendations, **106**, 337
Randomized control trial
Lack of analgesic efficacy of oral δ-9-tetrahydrocannabinol in post-operative pain, **106**, 169
Randomized, double-blind, placebo-controlled trial
Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double-blind, placebo-controlled study, **106**, 151
Rat
5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain, **106**, 135
Reflex sympathetic dystrophy
Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study, **106**, 393
Relationship type
Social environment moderates the association between catastrophizing and pain among persons with a spinal cord injury, **106**, 19
Remission
Factors associated with the onset and remission of chronic daily headache in a population-based study, **106**, 81
Risk factors
Epidemiology of chronic non-malignant pain in Denmark, **106**, 221
Sensory dimension
Gender and laterality differences in thermosensation throughout the perceptible range, **106**, 9

Serotonin
Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord, **106**, 159
Sex difference
Pain tolerance as a predictor of outcome following multidisciplinary treatment for chronic pain: differential effects as a function of sex, **106**, 419
Sex differences
Pharmacogenetic analysis of sex differences in opioid antinociception in rats, **106**, 381
Solicitousness
Social environment moderates the association between catastrophizing and pain among persons with a spinal cord injury, **106**, 19
Somatic symptoms
Changes in temporomandibular pain and other symptoms across the menstrual cycle, **106**, 253
Spatial resolution
Spatial summation of pressure pain: effect of body region, **106**, 471
Spatial summation
Spatial summation of pressure pain: effect of body region, **106**, 471
Spinal
Up-regulation of metabotropic glutamate receptor subtypes 3 and 5 in spinal cord in a clinical model of persistent inflammation and hyperalgesia, **106**, 501
Spinal cord
Effect of knock down of spinal cord PSD-93/chapsin-110 on persistent pain induced by complete Freund's adjuvant and peripheral nerve injury, **106**, 187
Spinal cord
Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors, **106**, 373
Spinal cord
Interferon-γ induces characteristics of central sensitization in spinal dorsal horn neurons in vitro, **106**, 241
Spinal cord
Joint manipulation reduces hyperalgesia by activation of monoamine receptors but not opioid or GABA receptors in the spinal cord, **106**, 159
Spinal cord injury
Social environment moderates the association between catastrophizing and pain among persons with a spinal cord injury, **106**, 19
Spinal dorsal horn
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Spinal microdialysis
The role of spinal nitric oxide and glutamate in nociceptive behaviour evoked by high-dose intrathecal morphine in rats, **106**, 269
Spontaneous pain
5-Hydroxytryptamine$_{1A}$ receptor is involved in the bee venom induced inflammatory pain, **106**, 135
Strain differences
Pharmacogenetic analysis of sex differences in opioid antinociception in rats, **106**, 381
Stress
Blood pressure but not cortisol mediates stress effects on subsequent pain perception in healthy men and women, **106**, 285
Sudomotor
Can complex regional pain syndrome be painless, **106**, 263
Sweet taste
Sweet taste and blood pressure-related analgesia, **106**, 181
Sweetness
Sweet taste and blood pressure-related analgesia, **106**, 181
Synaptic plasticity
Induction of long-term potentiation of C fibre-evoked spinal field potentials requires recruitment of group I, but not group II/III metabotropic glutamate receptors, **106**, 373
Temporomandibular disorders
Changes in temporomandibular pain and other symptoms across the menstrual cycle, **106**, 253
TENS
Effects of TENS frequency, intensity and stimulation site parameter manipulation on pressure pain thresholds in healthy human subjects, **106**, 73
δ-9-Tetrahydrocannabinol
Lack of analgesic efficacy of oral δ-9-tetrahydrocannabinol in postoperative pain, **106**, 169
Thermal hyperalgesia
Afferent fiber-selective shift in opiate potency following targeted opioid receptor knockdown, **106**, 365
Thermal stimulation
Short-term infusion of the μ-opioid agonist remifentanil in humans causes hyperalgesia during withdrawal, **106**, 49
Thermosensation
Gender and laterality differences in thermosensation throughout the perceptible range, **106**, 9
Topical treatment
Efficacy of lidocaine patch 5% in the treatment of focal peripheral neuropathic pain syndromes: a randomized, double-blind, placebo-controlled study, **106**, 151
Total knee arthroplasty
Prospective examination of pain-related and psychological predictors of CRPS-like phenomena following total knee arthroplasty: a preliminary study, **106**, 393
Transcriptional analysis
Transgenic mice possessing increased numbers of nociceptors do not exhibit increased behavioral sensitivity in models of inflammatory and neuropathic pain, **106**, 491
Trophic
Can complex regional pain syndrome be painless, **106**, 263
Use of health care services
Epidemiology of chronic non-malignant pain in Denmark, **106**, 221
Use of opioids
Epidemiology of chronic non-malignant pain in Denmark, **106**, 221
Vasomotor
Can complex regional pain syndrome be painless, **106**, 263
Voltage-sensitive dye
Effects of corticotropin-releasing factor on plasticity of optically recorded neuronal activity in the substantia gelatinosa of rat spinal cord slices, **106**, 197
Whiplash-associated disorders
The development of psychological changes following whiplash injury, **106**, 481
Wide-dynamic-range neurons
Neurons involved in the exteroceptive function of pain, **106**, 215